Journal of Organometallic Chemistry, 452 (1993) C14–C15

Author Index of Volume 452

Abu-Halawa, R., 161
Adams, C.J., 121
Ahmed, I., 23
Akabori, S., 105
Albéniz, A.C., 229
Ang, H.G., 181
Asano, H., 105
Aulbach, M., 79

Bailey, P.J., 175
Bandoli, G., 47
Batsanov, A.S., 87
Blake, A.J., 175
Böhme, U., 75
Bovio, B., 287
Braga, D., 197
Browning, J., 205
Bruce, M.I., 121
Burini, A., 287
Burrows, A.D., 251
Bushnell, G.W., 205

Carriedo, C., 91
Carriedo, G.A., 91
Caubère, P., 111
Cheng, M.-C., 143
Churchill, M.R., 151
Courtois, G., 5
Crespo, C., 91
Cullen, W.R., 97

Delgado, S., 185
Denisovich, L.I., 219
Dieck, H., 223
Ding, Y., 263
Dixon, K.R., 205
Dolmella, A., 47
Dousse, G., 41
Dyson, P.J., 175

Eaborn, C., C11, C13
El-Nahhal, I.M., 19
Erker, G., 79
Espinet, P., 229

Forniés, J., 241
Fort, Y., 111

Galm, W., 193
Garza, D.G., 263
Gautier, J.C., 111
Gómez, P., 91
González-Velasco, J., 185
Gosden, A.A., 251
Grepioni, F., 197
Grove, D.M., C1
Gupta, S., 1
Gusev, O.V., 219

Heine, A., 33
Heßler, G., 55
Hilal, H.S., 161, 167
Hill, C.M., 251
Hilts, R.W., 205
Hummeltenberg, R., C9

Janiak, C., 63
Jeżowska-Trzebiatowska, B., 277
Jobe, I.R., 115
Johnson, B.F.G., 175
Jondi, W., 161, 167

Kapteijn, G.M., C1
Kazennova, N.B., 87
Keister, J.B., 151
Khalaf, S., 161, 167
Kim, Y.-J., 247
Knapp, R., 235
Koch, L., 115
Koh, C.H., 181
Koh, L.L., 181
Kreller, D., 115
Krüger, C., 79
Kwik, W.L., 181

Lake, C.H., 151
Langhans, K.P., 55
Laschi, F., 257
Lashewycz-Rubycz, R.A., 151
Laurent, C., 41
Lavayssière, H., 41
Lebioda, L., 263
Lemenovskii, D.A., 87
Lewis, J., 175
Liang, S., 13
Livotto, F.S., 197
Luo, W., 13
Lutz, F., 79

Macazaga, M.J., 185
Maitlis, P.M., 219
Marcos, M.L., 185
Marder, T.B., 115
Mazerolles, P., 41
Mazières, S., 41
McCargar, R.D., 151
Miginiac, L., 5
Minghetti, G., 257
Mingos, D.M.P., 251
Mondet, J.C., 111
Moreno, C., 185
Munz, C., 223

Narula, A.K., 1
Navarro, R., 241
Nikonov, G.I., 87
Nissen-Sobocińska, B., 277
Nolte, M., 79

Oehme, H., 33
Osakada, K., 247

Parish, R.V., 19, 23
Parisini, E., 175
Peng, S.-M., 143
Peruzzo, V., 47
Peterleitner, M.G., 219
Pietroni, B.R., 287
Pilo, M.I., 257
Pini, D., C4
Plazzogna, G., 47
Putala, M., 87

Reger, D.L., 263
Rehahn, M., 235
Rettig, S.J., 97
Rubezhov, A.Z., 219

Salvadori, P., C4
Sanna, G., 257
Sato, M., 105
Scott, K., 115
Seeber, R., 257
Sharma, S., 1
Sheldrick, G.M., 33
Sheldrick, W.S., 55
Shiu, K.-B., 143
Skelton, B.W., 121
Song, L., 271
Spek, A.L., C1
Stalke, D., 33
Stelzer, O., 55
Stephan, C., 223
Stoccoro, S., 257
Stringer, G., 115
Struchkov, Y.T., 87
Superchi, S., C4

Taylor, N.J., 115
Thiele, K.-H., 75
Trogler, W.C., 271

Uhlig, F., C9
Uhlig, W., 29, C6

Urriolabeitia, E.P., 241
Ustynyuk, N.A., 219

Van Koten, G., C1
Vargas, M.D., 197

Wadepohl, H., 193
Wehman-Ooyevaar, I.C.M., C1
White, A.H., 121
Wolf, A., 193
Wustrack, R., 33

Yamamoto, A., 247
Yao, H., 151
Young, D.W., C11
Yu, S., 13
Yuan, Z., 115

Zheng, T.C., 97
Zhou, W., 13
Zinin, A.I., 87

Journal of Organometallic Chemistry, 452 (1993) C16–C18

Subject Index of Volume 452

Boron

Allylboration of some ketones and aldehydes with 2-allyl-1,2-oxaborolane. Isolation of their intermediate adducts and synthesis of homoallylic alcohols (W. Zhou, S. Liang, S. Yu and W. Luo), 13

Nature of the hydrogen bridge in transition metal complexes. VI. A comparison of the electronic structure of Cu–H–B and Cu–H–Cu bridges (B. Nissen-Sobocińska and B. Jeżowska-Trzebiatowska), 277

Cobalt

$[Co_4(CO)_{12}]$ derivatives with bis(diphenylphosphino)amine, an electrochemical study (C. Moreno, M.J. Macazaga, M.L. Marcos, J. González-Velasco and S. Delgado), 185

Synthesis and fluxionality of the mixed metal *syn*-(μ-cycloheptatriene) complex $[CpCo(C_7H_8)RhCp]$ (H. Wadepohl, W. Galm and A. Wolf), 193

Synthesis and structural characterization of the mixed-metal species $[Co_2Ir_2(CO)_{10}(\eta^4\text{-cod})]$ and $[CoIr_3(CO)_{10}(\eta^4\text{-cod})]$ (cod = 1,5-cyclooctadiene) (F.S. Livotto, M.D. Vargas, F. Grepioni and D. Braga), 197

Copper

Bis(benzyldi-2-pyridylamine)-η^2,η'^2-(*s-trans*-isoprene)dicopper(I) bistrifluoromethanesulfonate. A stable Cu^I-diene complex (L. Song and W.C. Trogler), 271

Nature of the hydrogen bridge in transition metal complexes. VI. A comparison of the electronic structure of Cu–H–B and Cu–H–Cu bridges (B. Nissen-Sobocińska and B. Jeżowska-Trzebiatowska), 277

Regioselective *ortho*-alkylation of *N,N*-diethylbenzamides *via* lithiation and copper transmetalation (D. Pini, S. Superchi and P. Salvadori), C4

Germanium

Réactions de cycloaddition-1,4 de germylènes cycliques soufrés et oxygénés sur divers hétéro-1,3 butadiènes siliciés ou germaniés et la 3,5-di t-butylorthoquinone (C. Laurent, S. Mazières, H. Lavayssière, P. Mazerolles et G. Dousse), 41

Gold

Synthesis and structure of a gold-capped palladium *triangulo*-cluster compound containing an azide ligand (A.D. Burrows, A.A. Gosden, C.M. Hill and D.M.P. Mingos), 251

Reactions of trimeric 1-benzyl-2-gold(I)imidazole leading to Au^I carbene complexes. Crystal structure of [1-benzyl-3-benzoyl-imidazolin-2-yliden]chlorogold(I) (B. Bovio, A. Burini and B.R. Pietroni), 287

Iridium

Synthesis and structural characterization of the mixed-metal species $[Co_2Ir_2(CO)_{10}(\eta^4\text{-cod})]$ and $[CoIr_3(CO)_{10}(\eta^4\text{-cod})]$ (cod = 1,5-cyclooctadiene) (F.S. Livotto, M.D. Vargas, F. Grepioni and D. Braga), 197

Coordination chemistry of $[CH_2(PPh_2)(P(Y)R_2)]$ and $[CH(PPh_2)(P(Y)R_2)]^-$, Y = S or Se, R = Ph or ^{t}Bu: rhodium, iridium and ruthenium complexes; ^{13}C, ^{31}P, and ^{77}Se NMR studies; and the crystal and molecular structures of $[Ir(cod)\{CH_2(PPh_2)(P(S)^tBu_2)\text{-}P,S\}]BF_4 \cdot CHCl_3$, $[Rh(cod)\{CH_2(PPh_2)(P(S)^tBu_2)\text{-}P,S\}]ClO_4 \cdot CH_2Cl_2$, $[Rh(cod)\{CH(PPh_2)(P(S)Ph_2)\text{-}P,S\}]$, and $[RuCl_2(p\text{-cymene})\{CH_2(PPh_2)(P(S)Ph_2)\text{-}P\}] \cdot CH_2Cl_2$ (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilts), 205

Iron

Lineare Oligophosphaalkane. XXVI. Funktionalisierte primäre Phosphane in der Clustersynthese – metallassistierte Fragmentierung von $Ph_2P\text{–}CH_2\text{–}PH_2$ (G. Heßler, K.P. Langhans, O. Stelzer und W.S. Sheldrick), 55

Crystal and molecular structures of $Os_3(CO)_9[\mu_3\text{-}(C_5H_4PR)\text{-}Fe(C_5H_4)]$ (R = Fc or Ph), two molecules with Fe → Os bonds (W.R. Cullen, S.J. Rettig and T.C. Zheng), 97

Novel dimeric structure in the Pd^{II} complex of 1,10-dithia[2](2,6)pyridino[2](1,1′)ferrocenophane. A connected metal–metal interaction (M. Sato, H. Asano and S. Akabori), 105

Synthesis in the ferrocenyl series. I. Preparation of ω-haloalkanoylferrocenes (Y. Fort, P. Caubère, J.C. Gautier and J.C. Mondet), 111

Synthesis and characterization of ferrocenyl and bis(ferrocenyl) alkynes and polyynes: crystal structure of 1,4-bis(ferrocenyl)butadiyne and third order nonlinear optical properties of 1,8-bis(ferrocenyl)octatetrayne (Z. Yuan, G. Stringer, I.R. Jobe, D. Kreller, K. Scott, L. Koch, N.J. Taylor and T.B. Marder), 115

Palladium-catalyzed arylation of ferrocene derivatives: a convenient high yield route to 1,1′-bis(halophenyl)ferrocenes (R. Knapp and M. Rehahn), 235

Lithium

Strukturuntersuchungen an den Produkten aus der Reaktion des Tris(trimethylsilyl)silyllithiums mit Aceton (H. Oehme, R. Wustrack, A. Heine, G.M. Sheldrick und D. Stalke), 33

A novel aryllithium · lithium bromide complex containing an anionic pentadentate organylpolyamine system enfolding two lithium centres (I.C.M. Wehman-Ooyevaar, G.M. Kapteijn, D.M. Grove, A.L. Spek and G. van Koten), C1

Regioselective *ortho*-alkylation of *N,N*-diethylbenzamides *via* lithiation and copper transmetalation (D. Pini, S. Superchi and P. Salvadori), C4

Magnesium

Synthesis of organomagnesium β-diketonates and alkoxides (S. Gupta, S. Sharma and A.K. Narula), 1

Manganese

Synthesis of new neutral and cationic monocarbonyl complexes of manganese with bipyridine ligands (G.A. Carriedo, C. Carriedo, C. Crespo and P. Gómez), 91

Metallocenes

Torsional isomerism of bent metallocene complexes. The structures of *meso*- and *rac*-bis(1-cyclohexyltetrahydroindenyl)zirconium dichloride in the solid state (C. Krüger, F. Lutz, M. Nolte, G. Erker and M. Aulbach), 79

Synthesis and structure of η^1-N-diphenyldiazomethane complexes of niobo- and tantalocene monohydrides (G.I. Nikonov, M. Putala, A.I. Zinin, N.B. Kazennova, D.A. Lemenovskii, A.S. Batsanov and Y.T. Struchkov), 87

Synthesis in the ferrocenyl series. I. Preparation of ω-haloalkanoylferrocenes (Y. Fort, P. Caubère, J.C. Gautier and J.C. Mondet), 111

Synthesis and characterization of ferrocenyl and bis(ferrocenyl) alkynes and polyynes: crystal structure of 1,4-bis(ferrocenyl)butadiyne and third order nonlinear optical properties of 1,8-bis(ferrocenyl)octatetrayne (Z. Yuan, G. Stringer, I.R. Jobe, D. Kreller, K. Scott, L. Koch, N.J. Taylor and T.B. Marder), 115

Electrochemical generation of 19- and 20-electron rhodocenium complexes and their properties (O.V. Gusev, L.I. Denisovich, M.G. Peterleitner, A.Z. Rubezhov, N.A. Ustynyuk and P.M. Maitlis), 219

Palladium-catalyzed arylation of ferrocene derivatives: a convenient high yield route to 1,1′-bis(halophenyl)ferrocenes (R. Knapp and M. Rehahn), 235

Niobium

Synthesis and structure of η^1-N-diphenyldiazomethane complexes of niobo- and tantalocene monohydrides (G.I. Nikonov, M. Putala, A.I. Zinin, N.B. Kazennova, D.A. Lemenovskii, A.S. Batsanov and Y.T. Struchkov), 87

Osmium

Crystal and molecular structures of $Os_3(CO)_9[\mu_3\text{-}(C_5H_4PR)Fe(C_5H_4)]$ (R = Fc or Ph), two molecules with Fe → Os bonds (W.R. Cullen, S.J. Rettig and T.C. Zheng), 97

Synthesis, and ^{19}F NMR and X-ray structural studies of triosmium clusters $(\mu\text{-}H)Os_3(CO)_{10}L[ON(CF_3)_2]$ (L = PPh_3, $AsPh_3$ and $SbPh_3$) (H.G. Ang, C.H. Koh, L.L. Koh and W.L. Kwik), 181

Palladium

Novel dimeric structure in the Pd^{II} complex of 1,10-dithia[2](2,6)pyridino[2](1,1′)ferrocenophane. A connected metal–metal interaction (M. Sato, H. Asano and S. Akabori), 105

The palladium-catalyzed addition of various vinyl compounds to dimethyl acetylenedicarboxylate (C. Stephan, C. Munz and H. Dieck), 223

On the requirements of the precursor complex for olefin insertion: reactivity of *cis*- and *trans*-$Pd(C_6F_5)(L)_2^+$ with dienes (A.C. Albéniz and P. Espinet), 229

Palladium-catalyzed arylation of ferrocene derivatives: a convenient high yield route to 1,1′-bis(halophenyl)ferrocenes (R. Knapp and M. Rehahn), 235

Mono- and polynuclear complexes of palladium(II) and platinum(II) with $HC(PPh_2)_3$ (J. Forniés, R. Navarro and E.P. Urriolabeitia), 241

Preparation and properties of alkylpalladium(II) and -platinum(II) alkynyl complexes (Y.-J. Kim, K. Osakada and A. Yamamoto), 247

Synthesis and structure of a gold-capped palladium *triangulo*-cluster compound containing an azide ligand (A.D. Burrows, A.A. Gosden, C.M. Hill and D.M.P. Mingos), 251

Phosphorus

Lineare Oligophosphaalkane. XXVI. Funktionalisierte primäre Phosphane in der Clustersynthese – metallassistierte Fragmentierung von $Ph_2P\text{–}CH_2\text{–}PH_2$ (G. Heßler, K.P. Langhans, O. Stelzer und W.S. Sheldrick), 55

Eine einfache Methode zur Darstellung von Alkalimetall-bis(trimethylsilyl)-phosphiden (F. Uhlig und R. Hummeltenberg), C9

Platinum

Mono- and polynuclear complexes of palladium(II) and platinum(II) with $HC(PPh_2)_3$ (J. Forniés, R. Navarro and E.P. Urriolabeitia), 241

Preparation and properties of alkylpalladium(II) and -platinum(II) alkynyl complexes (Y.-J. Kim, K. Osakada and A. Yamamoto), 247

Electrochemical and spectroelectrochemical study of cyclometallated platinum derivatives with nitrogen ligands. Electrogeneration of monomeric reduced platinum species (G. Minghetti, M.I. Pilo, G. Sanna, R. Seeber, S. Stoccoro and F. Laschi), 257

Influence of the size of the phosphine ligand on primary–secondary alkyl isomerization equilibria with $(Me_2NCS_2)Pt(PR_3)(alkyl)$ complexes (D.L. Reger, Y. Ding, D.G. Garza and L. Lebioda), 263

Rhodium

The synthesis, characterization and molecular structures of two mixed metal octahedral carbido clusters, $Ru_5RhC(CO)_{14}(\eta^5\text{-}C_5Me_5)$ and $Ru_5RhC(CO)_9(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_5)_2$ (P.J. Bailey, A.J. Blake, P.J. Dyson, B.F.G. Johnson, J. Lewis and E. Parisini), 175

Synthesis and fluxionality of the mixed metal *syn*-(μ-cycloheptatriene) complex [$CpCo(C_7H_8)RhCp$] (H. Wadepohl, W. Galm and A. Wolf), 193

Coordination chemistry of $[CH_2(PPh_2)(P(Y)R_2)]$ and $[CH(PPh_2)(P(Y)R_2)]^-$, Y = S or Se, R = Ph or ^{t}Bu: rhodium, iridium and ruthenium complexes; ^{13}C, ^{31}P, and ^{77}Se NMR studies; and the crystal and molecular structures of $[Ir(cod)\{CH_2(PPh_2)(P(S)^tBu_2)\text{-}P,S\}]BF_4 \cdot CHCl_3$, $[Rh(cod)\{CH_2(PPh_2)(P(S)^tBu_2)\text{-}P,S\}]ClO_4 \cdot CH_2Cl_2$, $[Rh(cod)\{CH(PPh_2)(P(S)Ph_2)\text{-}P,S\}]$, and $[RuCl_2(p\text{-cymene})\{CH_2(PPh_2)(P(S)Ph_2)\text{-}P\}] \cdot CH_2Cl_2$ (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilts), 205

Electrochemical generation of 19- and 20-electron rhodocenium complexes and their properties (O.V. Gusev, L.I. Denisovich, M.G. Peterleitner, A.Z. Rubezhov, N.A. Ustynyuk and P.M. Maitlis), 219

Ruthenium

Cluster chemistry. LXXXVIII. Reactions between $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ and thiols. Formation and X-ray structures of Ru_5 clusters containing C_2H, C_2PPh_2 and $CCH(PPh_2)$ ligands (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 121

Structural characterization and comparison of $[Ru_2(O_2CR)_2(CO)_4L_2]$ (K.-B. Shiu, S.-M. Peng and M.-C. Cheng), 143

Structural studies on ruthenium carbonyl hydrides. XVIII. Synthesis and characterization of $(\mu\text{-}H)Ru_3(\mu_3\text{-}\eta^3\text{-}XCCRCR')(CO)_{9-n}(PPh_3)_n$ complexes. Crystal structures of $(\mu\text{-}H)Ru_3(\mu_3\text{-}\eta^3\text{-}Et_2NCCHCMe)(CO)_8(PPh_3)$ and $(\mu\text{-}H)Ru_3(\mu_3\text{-}\eta^3\text{-}MeOCCMeCMe)(CO)_7(PPh_3)_2 \cdot 2CH_2Cl_2$ (M.R. Churchill, C.H. Lake,

R.A. Lashewycz-Rubycz, H. Yao, R.D. McCargar and J.B. Keister), 151
Olefin hydrogenation and isomerization catalysed by $Ru_3(CO)_{12}$ and its derivatives. Cluster *vs.* non-cluster catalysis (H.S. Hilal, W. Jondi, S. Khalaf and R. Abu-Halawa), 161
Cluster *versus* non-cluster catalysis in olefin thermal isomerization and hydrosilylation in the presence of $Ru_3(CO)_{12}$ (H.S. Hilal, S. Khalaf and W. Jondi), 167
The synthesis, characterization and molecular structures of two mixed metal octahedral carbido clusters, $Ru_5RhC(CO)_{14}(\eta^5\text{-}C_5Me_5)$ and $Ru_5RhC(CO)_9(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_5)_2$ (P.J. Bailey, A.J. Blake, P.J. Dyson, B.F.G. Johnson, J. Lewis and E. Parisini), 175
Coordination chemistry of $[CH_2(PPh_2)(P(Y)R_2)]$ and $[CH(PPh_2)(P(Y)R_2)]^-$, Y = S or Se, R = Ph or ^{t}Bu: rhodium, iridium and ruthenium complexes; ^{13}C, ^{31}P, and ^{77}Se NMR studies; and the crystal and molecular structures of $[Ir(cod)\{CH_2(PPh_2)(P(S)^tBu_2)\text{-}P,S\}]BF_4 \cdot CHCl_3$, $[Rh(cod)\{CH_2(PPh_2)(P(S)^tBu_2)\text{-}P,S\}]ClO_4 \cdot CH_2Cl_2$, $[Rh(cod)\{CH(PPh_2)(P(S)Ph_2)\text{-}P,S\}]$, and $[RuCl_2(p\text{-cymene})\{CH_2(PPh_2)(P(S)Ph_2)\text{-}P\}] \cdot CH_2Cl_2$ (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilts), 205

Silicon

Insoluble ligands and their applications. III. Polysiloxane diaminoethane derivatives (I.M. El-Nahhal and R.V. Parish), 19
Insoluble ligands and their applications. IV. Polysiloxane-bis(2-aminoethyl)amine ligands and some derivatives (I. Ahmed and R.V. Parish), 23
Synthese funktioneller Silyltriflate auf der Basis von Allylsilanen (W. Uhlig), 29
Strukturuntersuchungen an den Produkten aus der Reaktion des Tris(trimethylsilyl)silyllithiums mit Aceton (H. Oehme, R. Wustrack, A. Heine, G.M. Sheldrick und D. Stalke), 33
Cluster *versus* non-cluster catalysis in olefin thermal isomerization and hydrosilylation in the presence of $Ru_3(CO)_{12}$ (H.S. Hilal, S. Khalaf and W. Jondi), 167
Zur Synthese des 1,2-Diphenyldecamethylcyclohexasilans (W. Uhlig), C6
Eine einfache Methode zur Darstellung von Alkalimetall-bis(trimethylsilyl)-phosphiden (F. Uhlig und R. Hummeltenberg), C9

Tantalum

Synthesis and structure of η^1-N-diphenyldiazomethane complexes of niobo- and tantalocene monohydrides (G.I. Nikonov, M. Putala, A.I. Zinin, N.B. Kazennova, D.A. Lemenovskii, A.S. Batsanov and Y.T. Struchkov), 87

Tin

Hydrogen bonding in the coordination of *N*- and *S*-donor heterocycles to dialkyltin dihalides. Synthesis and structure of *trans*-dibromodicyclohexylbis(pyrazole-N^2)tin(IV), *trans*-dibromodicyclohexylbis(imidazole-N^3)tin(IV), and dibutyldichloro[1-methyl-2(3*H*)-imidazolinethione-*S*]tin(IV) (G. Bandoli, A. Dolmella, V. Peruzzo and G. Plazzogna), 47

Zinc

Etude de la régiosélectivité de l'action des organozinciques sur les α-iminoesters issus de 2-amino ou 3-aminoalcools. II. Synthèse de tétrahydro-1,4-oxazin-2-ones et d'hexahydro-1,4-oxazépin-2-ones 3-substituées (G. Courtois et L. Miginiac), 5

Zirconium

The role of agostic H → Zr interactions in the insertion of olefins with metallocene catalysts. An MO study (C. Janiak), 63
Synthese und Eigenschaften eines Zirconacyclobutan-Derivates (U. Böhme und K.-H. Thiele), 75
Torsional isomerism of bent metallocene complexes. The structures of *meso*- and *rac*-bis(1-cyclohexyltetrahydroindenyl)zirconium dichloride in the solid state (C. Krüger, F. Lutz, M. Nolte, G. Erker and M. Aulbach), 79

Book reviews

Solid Supports and Catalysts in Organic Synthesis, K. Smith (Ed.) (D.W. Young), C11
Academic Press Dictionary of Science and Technology, C.G. Morris (ed.) (C. Eaborn), C11
Advanced Organic Chemistry, J. March (C. Eaborn), C13